

CITY OF SAN FERNANDO  
PUBLIC WORKS DEPARTMENT  
ALEXANDER STREET IMPROVEMENTS  
BETWEEN FIRST STREET AND FOURTH STREET

ALL WORK SHALL BE DONE IN ACCORDANCE WITH THE CITY OF SAN FERNANDO REQUIREMENTS.

THE CONTRACTOR SHALL TAKE DUE PRECAUTIONARY MEASURES TO PROTECT THE UTILITY LINES SHOWN AND ANY OTHER UTILITIES NOT OF RECORD OR NOT SHOWN ON THESE PLANS.

ALL WORK SHALL BE CONSTRUCTED IN ACCORDANCE WITH THE AGENCY'S STANDARD PLANS, PROJECT PLANS, SPECIFICATIONS, AND CONTRACT DOCUMENTS. THE CONTRACTOR SHALL KEEP A COPY OF THIS INFORMATION ON THE JOBSITE.

A PRECONSTRUCTION MEETING SHALL BE HELD A MINIMUM OF 48 HOURS PRIOR TO COMMENCING WORK.

THE CONTRACTOR SHALL NOTIFY THE AGENCY'S CONSTRUCTION MANAGER, MANUEL FABIAN @ (818) 898-1243, A MINIMUM OF 5 WORKING DAYS PRIOR TO THE START OF CONSTRUCTION AND 48 HOURS IN ADVANCE OF INSPECTION REQUESTS.

PROJECT STATIONING REFERS TO THE CENTERLINE OF THE STREET.

STOCK PILING OF REMOVED MATERIAL WILL NOT BE ALLOWED IN OR AROUND THE PROJECT SITE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR HAULING OFF ALL EXCESS MATERIALS GENERATED DURING THE CONSTRUCTION OF THIS PROJECT TO AN APPROVED DISPOSAL SITE.

DUST SHALL BE CONTROLLED WITH WATER OR AS REQUIRED UNDER THE DIRECTION OF THE INSPECTOR.

REMOVAL OF ALL VEGETATION AND DEBRIS PRIOR TO ANY GRADING IS REQUIRED.

NO EXCAVATION SHALL BE LEFT OPEN AFTER DAYLIGHT HOURS, EXCAVATIONS SHALL BE BACKFILLED AND PAVEMENT REPLACED OR BRIDGED WITH TRAFFIC RATED STEEL PLATES.

CONTRACTOR WORK SHALL BE 7:00 AM TO 4:00 PM MONDAY THRU FRIDAY, EXCLUDING HOLIDAYS, UNLESS OTHERWISE ACCEPTED BY THE CITY. ALL WORK WITHIN VEHICULAR TRAFFIC LANES SHALL BE LIMITED TO 9:00 AM AND 3:00 PM.

AN AGENCY APPROVED TRAFFIC CONTROL PLAN PER LATEST EDITION OF THE WATCH HANDBOOK SHALL BE SECURED 48 HOURS PRIOR TO CONSTRUCTION.

INSTALL TAR PAPER AROUND POWER POLES PRIOR TO LAYING A.C. PAVEMENT IN ALLEYS.

PROVIDE 2" X 4" REDWOOD HEADERS AT PROPERTY LINES WHERE PROPOSED PAVEMENT IS CONSTRUCTED ADJACENT TO DIRT OR UNPAVED AREA, OR ADJACENT TO WOOD, METAL OR CHAIN LINE FENCE, SEE TYPICAL SECTION DETAIL.

JOIN NEW A.C. PAVEMENT TO EXISTING A.C. & CONC. PAVEMENT AT PROPERTY LINE. SAW-CUT AS NECESSARY AND PROVIDE TACK COAT.

THE SUBGRADE OF THE DRIVEWAY AND PARKING AREAS SHALL BE SCARIFIED, BROUGHT TO OPTIMUM MOISTURE CONTENT 90%. COMPACTION ACTIVITIES SHALL BE INSPECTED BY AGENCY PRIOR TO PLACING CRUSHED MISCELLANEOUS BASE AND CASTING OF CONCRETE.

PUBLIC UTILITIES WITHIN THE CITY OF SAN FERNANDO

WATER:  
CITY OF SAN FERNANDO  
543 GLENOAKS BLVD.  
SAN FERNANDO, CA 91340  
TONY SALAZAR OR DANNY GARCIA  
818 898 1293

WASTEWATER:  
CITY OF SAN FERNANDO  
543 GLENOAKS BLVD.  
SAN FERNANDO, CA 91340  
DALE WARREN  
818 898 1293

ELECTRICITY:  
SOUTHERN CALIFORNIA EDISON COMPANY  
EMERGENCY CALLS  
800 611 1911

GAS:  
SOUTHERN CALIFORNIA GAS COMPANY  
EMERGENCY CALLS  
800 427 2200

TELEPHONE:  
VERIZON  
EMERGENCY CALLS  
800 483 1000

CABLE:  
TIME WARNER  
EMERGENCY CALLS  
818 700 6500

POLICE:  
CITY OF SAN FERNANDO POLICE DEPT.  
NON-EMERGENCY NUMBER  
818 898 1267

LIST OF DRAWINGS

SHEET NO.	DESCRIPTION
1	Title Sheet
2	Street Improvement Plan - STA 0+00 TO 6+50
3	Street Improvement Plan - STA 6+50 TO 12+57

DISPOSITION NOTES


- 1 Adjust to Grade  
2 Protect In Place

CONSTRUCTION NOTES

- 1 Cold Mill 0.5" to 1.5" AC Pavement  
2 Cold Mill 0.5" AC Pavement  
3 Construct 1.5" thick ARHM Overlay.  
4 Remove and Replace 4" thick PCC Sidewalk  
5 Remove and Replace Curb & Gutter per SPPWC 120-1  
6 Remove and Replace 6" thick PCC Drive Approach per SPPWC 110-2, Type A  
7 Construct Curb Ramp with Truncated Dome  
8 Remove existing PCC Drive Approach and Construct 4" thick PCC Sidewalk  
9 Remove and Replace Variable Height Curb  
10 Remove and Replace Cross Gutter per SPPWC122-1  
11 Provide Traffic Striping, Pavement Marking or Signage as Indicated

LEGEND

	STREET LIGHT
	SEWER MANHOLE
	SEWER MAIN LINE
	MAIL BOX
	LOOP DETECTORS
	SIGN
	POWER POLE
	STORM DRAIN MANHOLE
	VAULT
	TRAFFIC SIGNAL BOX
	GAS METER
	OIL VALVE
	TRAFFIC SIGNAL
	PULL BOX
	FIRE HYDRANT
	WATER METER
	WATER VALVE
	WATER MAIN LINE
	GAS VALVE
	LIGHT POLE
	GAS LINE
	CONSTRUCTION NOTES 1 AND 3
	CONSTRUCTION NOTES 2 AND 3



Vicinity Map

NOTICE TO CONTRACTOR:

IT SHALL BE THE SOLE RESPONSIBILITY OF THE CONTRACTOR TO CALL THE USA UNDERGROUND ALERT FOR LOCATION OF EXISTING UNDERGROUND UTILITIES NO LESS THAN TWO DAYS NOR MORE THAN SEVEN DAYS PRIOR TO CONSTRUCTION.

1-800-422-4133

THE CONTRACTOR SHALL ASSUME SOLE RESPONSIBILITY FOR ANY DAMAGE DONE TO EXISTING UTILITIES OR STREET IMPROVEMENTS INCLUDING CONCRETE/LANDSCAPING DURING CONSTRUCTION.



UNDERGROUND SERVICE ALERT

CALL: TOLL FREE  
1-800-227-2600  
OR 811

TWO WORKING DAYS BEFORE YOU DIG

REV.

DATE

BY

DESCRIPTION

APP'VD

REV.

DATE

BY

DESCRIPTION

APP'VD

REVISIONS



PREPARED BY:

Manuel Fabian, Civil Engineer Assistant II DATE

APPROVED BY:

Ying Kwan, P.E., City Engineer DATE  
R.C.E. NO.: 42418 EXP. DATE: 3/31/18

DRAWN BY: MF  
DESIGNED BY: MF  
CHECKED BY: YK



SAN FERNANDO  
HISTORIC & VISIONARY

CITY OF SAN FERNANDO  
DEPARTMENT OF PUBLIC WORKS

Alexander Street Improvements  
between First Street and Fourth Street

TITLE SHEET

CDBG Project No. 601819-16  
Project No. 7596, Plan No. P-723



SHEET No.

1

OF

3





ALEXANDER STREET BETWEEN  
FIRST AND FOURTH STREETS


**DISPOSITION NOTES**  
1 Protect in Place  
2 Adjust to Grade

**LEGEND**

- |  |                     |  |                            |
|--|---------------------|--|----------------------------|
|  | TRAFFIC SIGNAL      |  | PULL BOX                   |
|  | SEWER MANHOLE       |  | FIRE HYDRANT               |
|  | SEWER MAIN LINE     |  | WATER METER                |
|  | MAIL BOX            |  | WATER VALVE                |
|  | LOOP DETECTORS      |  | WATER MAIN LINE            |
|  | SIGN                |  | GAS VALVE                  |
|  | POWER POLE          |  | LIGHT POLE                 |
|  | STORM DRAIN MANHOLE |  | GAS LINE                   |
|  | VAULT               |  | CONSTRUCTION NOTES 1 AND 3 |
|  | TRAFFIC SIGNAL BOX  |  | CONSTRUCTION NOTES 2 AND 3 |
|  | GAS METER           |  |                            |
|  | OIL VALVE           |  |                            |

**CONSTRUCTION NOTES**

- 1 Cold Mill 0.5" to 1.5" AC Pavement
- 2 Cold Mill 0.5" AC Pavement
- 3 Construct 1.5" thick ARHM Overlay.
- 4 Remove and Replace 4" thick PCC Sidewalk
- 5 Remove and Replace Curb & Gutter per SPPWC 120-1
- 6 Remove and Replace 6" thick PCC Drive Approach per SPPWC 110-2, Type A
- 7 Construct Curb Ramp with Truncated Dome
- 8 Remove existing PCC Drive Approach and Construct 4" thick PCC Sidewalk
- 9 Remove and Replace Variable Height Curb
- 10 Remove and Replace Cross Gutter per SPPWC 122-1
- 11 Provide Traffic Striping, Pavement Marking or Signage as Indicated




**UNDERGROUND SERVICE ALERT**

CALL: TOLL FREE  
1-800-227-2600  
OR 811  
TWO WORKING DAYS BEFORE YOU DIG

**REVISIONS**

REV.	DATE	BY	DESCRIPTION	APP'VD	REV.	DATE	BY	DESCRIPTION	APP'VD




DRAWN BY: MF  
DESIGNED BY: MF  
CHECKED BY: YK

PREPARED BY:  
Manuel Fabian, Civil Engineer Assistant II DATE  
APPROVED BY:  
Ying Kwan, P.E., City Engineer DATE  
R.C.E. NO.: 42418 EXP. DATE: 3/31/2018

CITY OF  
**SAN FERNANDO**  
HISTORIC & VISIONARY  
CITY OF SAN FERNANDO  
DEPARTMENT OF PUBLIC WORKS

**Alexander Street Improvements**  
between First Street and Fourth Street  
STREET IMPROVEMENT PLAN - STA 0+00 TO 6+50  
CDBG Project No. 601819-16  
Project No. 7596, Plan No. P-723

SHEET No.  
2  
OF  
3



CONSTRUCTION NOTES

- ① Cold Mill 0.5" to 1.5" AC Pavement
- ② Cold Mill 0.5" AC Pavement
- ③ Construct 1.5" thick ARHM Overlay.
- ④ Remove and Replace 4" thick PCC Sidewalk
- ⑤ NOT USED
- ⑥ Remove and Replace 6" thick PCC Drive Approach per SPPWC 110-2, Type A
- ⑦ Construct Curb Ramp with Truncated Dome
- ⑧ Remove existing PCC Drive Approach and Construct 4" thick PCC Sidewalk
- ⑨ Remove and Replace Variable Height Curb
- ⑩ Remove and Replace Cross Gutter per SPPWC 122-1
- ⑪ Provide Traffic Striping, Pavement Marking or Signage as Indicated

DISPOSITION NOTES

- ① Protect in Place
- ② Adjust to Grade

LEGEND

- STREET LIGHT

SEWER MANHOLE

SEWER MAIN LINE

MAIL BOX

LOOP DETECTORS

SIGN

POWER POLE
- ① STORM DRAIN MANHOLE

VAULT

TSB TRAFFIC SIGNAL BOX

GM GAS METER

OV OIL VALVE

TRAFFIC SIGNAL

PB PULL BOX
- FH FIRE HYDRANT

WM WATER METER

WV WATER VALVE

W WATER MAIN LINE


GAS V GAS VALVE

LIGHT POLE


G GAS LINE

CONSTRUCTION NOTES 1 AND 3

CONSTRUCTION NOTES 2 AND 3



ALEXANDER STREET BETWEEN  
FIRST AND FOURTH STREETS



UNDERGROUND SERVICE ALERT

CALL: TOLL FREE  
1-800-227-2600  
OR 811  
TWO WORKING DAYS BEFORE YOU DIG

REVISIONS

REV.	DATE	BY	DESCRIPTION	APP'VD	REV.	DATE	BY	DESCRIPTION	APP'VD



DRAWN BY: MF  
DESIGNED BY: MF  
CHECKED BY: YK

PREPARED BY:

Manuel Fabian, Civil Engineer Assistant II DATE

APPROVED BY:

Ying Kwan, P.E., City Engineer DATE  
R.C.E. NO.: 42418 EXP. DATE: 3/31/2018



Alexander Street Improvements  
between First Street and Fourth Street  
STREET IMPROVEMENT PLAN - STA 6+50 TO 12+57  
CDBG Project No. 601819-16  
Project No. 7596, Plan No. P-723

SHEET No.  
3  
OF  
3